

LEAN AND GREEN PRINTING ... MARKETING OR MANAGEMENT TOOLS?

CSABA HORVÁTH, LÁSZLÓ KOLTAI

ABSTRACT

The exploration of the human–machine environment principally calls for the methods of organizational studies. Lean management is a systemic methodology that identifies, eliminates all forms of losses, as well as all such activities that do not represent any added value for the customer, client. The lean work methodology has been applied by several companies involved in graphic communication. The fundamental principle of lean is to avoid waste. The first principle of environmental improvement is the same. 80% of common actions provide mutual benefits. It means that lean and green printing have the same aims. The author introduces the movements and events of the lean and green printing in the different countries all over the world in the last 5-8 years.

From the initiative of packaging and printing companies, the author has launched a research project in order to find a methodology by which the necessary steps can be explored to turn the application of this modern technology into a business success. Step by step, the research has tried to expose those hindering factors, superfluous or less efficient organizational and management process elements that now increase costs. Today, profitable printing production is not feasible by means of price increases; the only suitable way is to cut down costs. In this respect, lean management can be supportive.

Furthermore, lean printing and green printing movements are also effective marketing tools to prove that paper based communication is effective and sustainable as any kind of information transfer.

KEYWORDS: lean printing, green printing, lean and green strategy, improving value chain performance, effectiveness, sustainability

INTRODUCTION

The ultimate goal of all business activities is value creation. Value creation is a process that yields a product or service for which a customer is willing to pay. However, in the process of value creation there are activities not representing any value. Although they are parts of the process, it does not mean that the customer is willing to spend money on them.

Lean Manufacturing is a philosophy of production that has a focus on rationalizing and optimizing value-adding processes, circumventing and eliminating potential losses. It puts production system in a place that allows the making of high-quality

products at moderate costs and with short lead times. The aim is to align the process of production with the expectations of the customer. Consumers tend to demand increasingly better quality, lower prices, short lead times and a broader selection of products. Developed by Toyota, the efficiency of Lean Manufacturing is inherent in the underlying principles its rules, means and philosophy operate in harmony in order to eliminate losses from the processes.

OBJECTIVES OF THE RESEARCH

The fundamental hypothesis of the present paper is that Lean Principles are value-centred, and facilitate the elimination of losses. In our case, a graphic enterprise can considerably improve the efficiency of the printing process (from the customer to the prints) with the application of Lean Manufacturing, promoting an increase in the profit. Our objective is to examine the losses incurred with the printing processes of cardboard packaging materials by the company under investigation, and examine how the application of the means of Lean Manufacturing can cut back or fully eliminate the revealed losses. In addition to looking at the printing process, we also want to know what impacts these changes may have on the reduction of costs.

The objective of this study has been to support the introduction of lean management and the use of modern printing technologies by assessing the loss-making constituents of AR Carton Packaging Group's printing processes, offering solutions to reduce or fully eliminate these impacts, as well as confirming the actual implementation of cost reduction, continuing our research job.

Lean printing

In the printing process, the value for a customer is the creation, reproduction of the conceived design or colour, while for the printer the satisfaction of these demands in a cost-efficient manner. For the customer, the essential aspects are the colour, form and deadline of delivery, whereas for the printer the keys to profit lie in the short adjustment time and quick printing of the requested number of useful copies. In the printing process, the Lean Philosophy is embodied in the efficient and inexpensive satisfaction of customer expectations. The specific working process of Lean Manufacturing and the printing technology should work together effectively. It means that Lean proves to be insufficient if the management of the printing technology fails, while without the lean component even the best technology will be less effective. They together provide the best environment for the operation of a competitive printer.

Lean & Green strategy

Lean manufacturing reduces waste to minimise costs and time while simultaneously improving Green performance because any waste reduction provides direct environmental benefits as well as economic efficiency. Since 2010, PrintCity have

promoted this win-win strategy, which was inspired by the US Environmental Protection Agency's promotion of Lean to address environmental issues.




Figure 1: Why lean and green?

Tips to become Leaner & Greener:

- Measure how many runovers are left at the end of jobs - why so many (or not enough)?
- Look into waste bins to identify and eliminate the causes of waste.
- Calculate company material yield (annual waste tonnage/annual procured tonnage).
- Calculate what a 1% reduction in material waste could add to profits.
- Quantify the cost of energy and utilities consumption and assess.
- Opportunities to reduce their waste.
- Establish cross-functional multi-level teams to reduce waste.
- If you don't know where to start seek external assistance - the right support should pay for itself many times over.
- Start by making the job easier, faster and better, for the staff - then it will be adopted by them and it will become cheaper.
- Do only what is needed and when it is needed. Start with small and quick successful steps.

Research methods

Procedure and methodological approach:

- analysis of the principles, means of Lean Manufacturing,
- study of the values, losses of the printing process,
- defining the measures to improve efficiency, actual steps to accomplish the objective

- implementation of efficiency increasing strategies, explanation of results.

The aim of our research is to rely on certain technical processes and printing technologies in combination with the lean methods towards the improvement of the efficiency of the printing process, and thus to reduce costs at AR Carton Packaging Group. As specific aspects of these examinations, those means of lean, operating safety and printing technology have been selected that have the potential to improve the efficiency of the process to the greatest extent, eliminate or minimize losses.

Establishment of orderly work conditions, effective base material flow

In order to make the working environment of the printing presses more orderly and safer, 5S was applied. The objective was to establish an efficient, safe and high-standard work environment. Whatever was not needed for the performance of daily tasks in the printing press was sorted out and removed. After this process of selection, it was re-considered and assured that those materials and devices that were integral parts of daily work had been retained in the work area and whether their quantities had indeed been effectively cut back. For the required tools expedient storage places were accurately defined and created, while other objects were stored in an easily recognizable arrangement. As a fundamental rule, objects, base materials that were necessary for adjustment or production were placed so that they should become accessible in the quickest and shortest way.

The established system was designed to sustain and develop the existing work environment. With the use of a questionnaire, the surroundings of the printing press are now reviewed on a monthly basis. The questions are scored in order to quantify the existing conditions, whether they are perceived as improvement and/or drawbacks.

Improvement of the reliability of the printing press

As within the plant no sufficient expertise is available, the maintenance and servicing of the KBA Rapida 142 sheet-fed offset printing press were outsourced to the supplier of the printing press. During detailed counselling and negotiations, the terms and conditions of maintenance and repair servicing activities were defined and set forth in the form of a contract. The partner program implemented in the framework of the given contract was aimed at reducing the time losses arising from machine failures, and guaranteeing an appropriate level of operating safety. The contract consisted of three modules. The first module was designed to ensure the monthly servicing of problems with the machines to maintain the initial conditions of the equipment, and sustain the perfect operation of all the functions of the printing press. The second module allowed remote servicing all around the clock. The last module covered the assessment of the prevailing conditions of the machines on a half-yearly basis. The printing press was not set to be inspected solely for mechanical problems, but diagnostic test printing was required to be executed. The defined

checks included the printing characteristics, reproduction capabilities of the press, as well (Figure 2).




Figure 2: Sheet-fed offset print process improvements

Colour calibration of the printing press

The aim of the colour calibration process was to define, and then standardize the technological parameters of the devices used in the printing process (sheet-fed offset printing press, subcontracted colour proofing) on the basis of the test prints. The parameters determined in the course of test printing (CIE L*a*b*colour space, tone value increase) were examined on the basis of the target values set by Standard ISO 12647-2.

After the drying of the prints, the tone value increase of the printing press was determined from the average of the measurement results of several prints. On the basis of the measured values, the tone value projected on the form was modified so that in the course of printing the tone value increased by the printing press in the print should comply with the value specified in Standard ISO 12647-2.

Calibration was also performed for the subcontracted proofing, i.e. the inkjet printer. The effectiveness of calibration was verified by making the test print again.

In addition to instrumental evaluation, prints were subjected to visual checks, because the majority of customers would judge the colour spectrums of printed products in the same way. The prints of the plates that had been scanned with the settings originating from the process calibrations were compared with the similarly calibrated, subcontracted colour proofs, and eventually it was concluded that the calibration was successful.

In the course of digital pre-processing, appropriate colour separations could be made for printing. The two work processes became harmonized, and – as a very important aspect – mutually verifiable. The roots of problems now proved to be distinguishable, and the efficiency of the process increased. The settings of printing

became unambiguous, individual, occasional adjustments in the machine room could be avoided, reproducibility hugely improved.

SUMMARY OF RESULTS

In the present study we have focused on promoting the introduction of the already initiated lean attitude by improving the technological processes of printing in order to make perceivable achievements. For this purpose, the interrelated projects have reinforced each other, and brought about the foreseen results. The optimal corrective actions were determined with a step-by-step review of the technological aspects of the printing process. The performance indicators suggested whether changes were made correctly.

The tasks described in association with the objective of the research were executed in three groups.

The 5S practices that had already been introduced to the operations concerned were improved on the KBA Rapida 142 printing press. In line with the expectations, as a result of the optimization of the material flow the idle time of the printing press has been considerably reduced.

By adapting new maintenance practices, the operating safety of the printing press has been enhanced. A maintenance system applying a more efficient strategy has been set up to make the manufacturer of the printing press responsible for sustaining the required technical conditions of the machine. With the use of this developed system, maintenance planning has become feasible, while frequent machine failures can be avoided.

By reconciling printing press and prepress processes, a major step has been taken towards the acceleration of machine changeover. By completing the calibration process, the number of cancelled prints to be adjusted has been decreased by 39%, while the desired design colours can be implemented more quickly.

With the application of the SMED device, the time demand of machine changeovers could be cut. In practice, the solution was implemented on the KBA Rapida 142 printing press. When standard operating procedures were introduced the necessary time for changeovers dropped by 45%.

The results of the actual implementation of the measures taken for the improvement of productivity as described in the discussion part of the research are demonstrated in *Table 1*. The table shows the performance indicators of the KBA Rapida 142 printing press before and after the adaptation of the corrective measures.

It can be claimed that the primarily examined key performance indicators have been substantially improved by the corrective measures. Moreover, it can be also confirmed that the enhancement of production efficiency is accompanied by cost reduction. The average duration of idle times has dropped from 43.8% to 23.4%. This newly recovered, additional time offers free capacity for manufacturing further products, real and profitability operations.

Table 1: Performance indicators of KBA 142 sheet-fed offset printing press in 2009 and 2014.

Performance indicators	Production figures in 2009	Production figures in 2014
Operating time (hours p.a.)	3913	5057
Adjustment time (hours p.a.)	717	1126
Idle time (hours p.a.)	1764	1187
Manufacturing time (hours p.a.)	1432	2762
Idle time (%)	43.8	23.4
Adjustment time (h)	1.39	0.64
Number of adjustments	515	1754
Number of adjusting prints (sheets/job)	277	169
Number of adjusting prints (sheets p.a.)	142,597	296,426
Number of cancelled prints (p.a.)	477,182	198,015
Cancelled prints (sheets p.a.)	619,779	494,596
Cancelled prints (%)	4.5	1.8
Machine speed (sheets/h)	9100	9920
Average number of useful copies	25,308	15,614
<i>Number of prints (sheets p.a.)</i>	<i>13,654,621</i>	<i>27,890,000</i>

CONCLUSIONS

The handling of the means of lean management and the development of the processes of printing technology with a common approach has clearly visible and measurable outcomes. As a result, it can be stated that the application of lean methods with proper view of industrial characteristics, i.e. “lean printing” is indeed a useful tool. Without a thorough knowledge of technology, the means of lean management may be successfully applicable, though cannot achieve a breakthrough. The ways of practical usage described in the present paper undoubtedly underline this statement. Both cost reduction and the enhancement of production efficiency can be continued. It is a never-ending process. There will always be new losses occurring, and they can be eliminated from the process to achieve further improvements.

“A journey of a thousand miles begins with a single step” (Lao Tzu)

REFERENCES

- 1 Cooper, K. - Keif, M. G.- Macro Jr. K. L. (2007): Lean Printing: Pathway to Success, PIA/GATFPress, Pittsburgh, ISBN: 0-88362-586-5
- 2 Cooper, K. (2010): Lean Printing: Cultural Imperatives for Success, PIA/GATFPress, Pittsburgh, ISBN: 9780883626887
- 3 Rizzo, K.E.(2008): Total production Maintenance: A guide for the printing industry, PIA/GATFPress, Pittsburgh, (3rd ed.), ISBN: 0883626209
- 4 Rothenberg, S. – Cost, F. (2004): Lean Manufacturing in Small- and Medium-sized printers, RIT Printing Industry Center,
- 5 Wells, N. (2012): Leaner & Greener, Value Chain (presentation), Lean & Green, International Environment Conference, DRUPA, Düsseldorf, May 12, 2012
- 6 Weather, J. P. (2012): Lean & Green, Economic and Environmental benefits of Lean (presentation), Lean & Green, International Environment Conference, DRUPA, Düsseldorf, May 12, 2012
- 7 Behringer, R. (2012): Sustainability as a Success and Competitive Factor (presentation), Lean & Green, International Environment Conference, DRUPA, Düsseldorf, May 12, 2012
- 8 Horvath, Cs. (2012): Leaner and better. How can the setup time and waste at the sheet-fed presses be reduced? 39th International Research Conference of IRIGAI, Ljubljana, Slovenia, 9-12 September, 2012, p. 139-144. Vol. XXXIX of the Advances in Printing and Media Technology (published in November 2012), p. 139-144 (ISBN 987-3-9812704-5-7)
- 9 Wells, N. (ed) (2012): Print: seen lean & green! (1-2)
PrintCity GmbH & Co. KG, Gröbenzell, Germany, 2012.

THE AUTHORS

Csaba HORVÁTH - László KOLTAI

Institute of Media Technology and Light Industry Engineering, Óbuda University,
Budapest, Hungary
e-mail: horvath.csaba@rkk.uni-obuda.hu
koltai.laszlo@rkk.uni-obuda.hu